



Restarting your Nordic Spa:

Normally all union connections will be reconnected and tight on all pumps and the heater barrel, but if they were left disconnected simply reconnect and make sure that all the pump drain plugs are secure. Fill the tub with water above all the jets and turn the power to the hot tub on and run the pump on high speed for 10 minutes.

This will help flush the residue of the antifreeze out of the plumbing. Then drain the tub, clean the sides with an approved cleaner, place your filter back into the filter canister, re-fill your tub and balance your chemicals.

We recommend using Leisure Time Jet Clean to clean out the jets of any organic residue or algae left inside the plumbing. If you decide not to use the Jet Clean, just be aware that you may notice more foaming than normal when you first start using your tub; this can be reduced with anti-foaming agents and generally gets better over the first week or two of usage as the filter removes the anti-freeze and organic residue left behind after rinsing and cleaning.

Make sure you check your filter at least once per week and rinse it out as needed for the first few weeks. You may also find it necessary to soak your filter in a filter cleaner after a few days, depending on the level of contaminant left in the tub after the restart. **A COUPLE THINGS YOU SHOULD BE AWARE OF.**

When a tub is drained and left empty, o-rings and pump seals can dry out and lessen their ability to seal properly. You should closely inspect for small leaks in the equipment area following your restart. If you are unsure of the location of the o-rings and pump seal, contact the retail store for help. If replaced early, the damage caused by these failures can be less expensive to fix.

Before using your hot tub, you will need to get your water tested. Having a balanced hot tub is a healthy hot tub! You won't be using unnecessary chemicals; you will reduce the development of algae and cloudy water.